

Helmet Holders, _
Holsters, Fiber Optics,
other accessories ...

ORTEC
Products

JUANUAR 2008

ORTEC R.F.C. GmbH
POB 1103, D-84004 Landshut, Germany
Tel.: 0049-871-72727 Fax: 0049-871-71297
E-Mail: Ortec-Products@t-online.de
www.Ortec-Products.de

Optical Accessories

FIBER OPTICS for Professional Flashlights like UK® , Peli® , Streamlight®, MagLite®, Nordic®, Legend® ...

For special illuminations even around a corner. for barrels (rifles), automotive motors, customs investigations, fuel tanks...

Our Standard (Std) version comes with a 2 mm fiber which is particularly flexible.


Our X-BRIGHT Version comes with a 3mm extra large fiber for a much better light transmission.

FIBER -Optic X-BRIGHT
for 32 mm heads

Fits for instance:
UK®4AA, Peli-MityLite 2AA®,
Streamlight® ST2AA, Scorpion,
SureFire® P3/6/9 ...

FIBER - Optic Standard
for D=18 mm heads

FIBER - Optic Standard
for D=25 mm heads



Fits for instance:
ML-Micro AAA, UK-Pen® ...

Fiber Optic D18 Std
Standard 2 mm fiber with black coating.
Fits 18 mm heads.
714401 11 cm
714411 50 cm



Fits for instance:
MagLite Mini AA,
Streamlight® Junior ...

Fiber Optic D25 Std
Standard 2 mm fiber with black coating.
Fits 25 mm heads.
714451 16 cm
714461 50 cm
714471 100 cm



Fiber Optic X - BRIGHT D32
Extra large 3 mm fiber with black coating.
Extraordinary light transmission.
Fits D=32 mm heads

714541 20 cm
714551 50 cm
714561 100 cm

FIBER - Optic Standard
for 22 mm heads

Fits for instance
Peli Mitylite® 2AAA ...

Fiber Optic D22
Standard 2 mm fiber with black coating.
Fits 22 mm heads.
714491 11 cm
714501 50 cm

FIBER -Optik X-BRIGHT
for 22 mm heads

Fits for instance
Peli Mitylite® 2AAA ...

Fiber Optic X - BRIGHT D22
Extra large 3 mm fiber without coating.
Extraordinary light transmission.
Fits D=22 mm heads
714571 20 cm

**SUPER Light Rod
dia 6 mm**



Guarantees a maximum of light transmission.
For head diameters D 22mm, 25mm, 32mm.

For 32 mm heads:
712901 D32mm; 6mm, 10 cm

For 22 mm heads:
712911 D22mm; 6mm, 10 cm

For 25 mm heads:
712921 D25mm; 6mm, 10cm



A rigid 6 mm light rod allows the full use of most of the brilliant light which modern flashlights do emit. Even more transmission almost is not possible.

The 32 mm version fits for instance for UK®4AA, Peli-MityLite 2AA®, Streamlight® ST2AA, Scorpion, SureFire® P3/6/9 ...



Traffic Wands

Traffic Wand D40 with locking ring for 40 mm heads



Fits for instance Streamlight® Polystinger, Peli MityLite® 4AA, Streamlight® 4AA ...

Traffic Wand D40 with Ring
Locking ring provides a very tight fit.

ST75903 red
ST75904 yellow
ST75908 white

Traffic Wand D25 for 25 mm heads

Fits for instance MagLite Mini AA, UK®-Pen, Peli Super Mitylite, Streamlight® Junior ...



Traffic Wand / Light Cone - D25,
Colours: white, yellow, red
715701

General Mounts

Belt Loop Holders



Clip It Allround

Fits nearly all compact flashlights. Comes with an elastic strap and a solid miniature lock for the shaft. With a hook for attachment to belts, suitcases, rucksacks ...
Colours: Black, red

714601 without buckle

With an extra buckle for easy handling:

714611 with buckle



Clip - Hanger

Comes with a split ring and a hook but no buckle.

731001

With an additional buckle connector.

730401 with buckle

Leather Holster DELUXE



Leather DELUXE Holster

For a perfect fit. Conical shape allows rapid handling of flashlight.

Fits Legend D, MagLite C+D, Nordic D...

715001 Type D

715011 Type C

Nylon Holster



Nylon - Holster DELUXE

Elegant design. Conical shape allows rapid handling of flashlight.

Fits Legend D, MagLite C+D, Nordic D...

712601 Nylon holster C+D

Wall Mounts



Wall Mount for oval shafts

Round type for 20 mm wide shafts.

Set includes 2 clips and 2 screws.

Fits UK 4AA, PELI MityLite 4AA, BriteStar 4AA...

715421

Flat type fits shafts with size 35x20mm.

Comes with an extra distance piece. Screws included.

Fits UK 4AA, PELI MityLite 4AA, BriteStar 4AA...

715411



Wall Clip KU MINI

Set includes 1 clip with screw

715471 For Streamlight 2AA

715401 For ML-MiniAA+ST Junior

Steel Wall Mounts



Power - Clips SPRING STEEL

No breaking of plastic parts! Very tight fit!

Fits MagLite, Nordic, Streamlight and other flashlights with suitable shafts.

D-Cell type for approx. 35 mm shafts
C-Cell type for approx. 30 mm shafts

Set includes 2 clips and 2 screws..

714831 D

714821 C

General Mounts - continuation

Loop Cord + Ring



Loop cord with split ring.

714641

Wall Clip KU - XL



Wand - Clip KU-XL

Set includes 1 clip and screw.

For Sure-Fire P3/6/9 ...

715431

For Peli M6 etc.

71543p

Universal - Strap Turn



Universal Strap Turn

Base plate with pivoted lamp holder and an adjustable elastic strap. For the attachment at poles, trees, bars, arms, legs...with a diameter up to approx. 30 cm.

Ideal for industrial use, hobby, leisure ...

For hunters, emergency illumination, camping, outdoor use ...

Rotatable for ultimate angle of beam.

714131 **Universal Strap Turn**

Belt Ring



Belt Ring f. D-Cell

8056920

Bar and Pole Mounts

Important information:

In the range of Road Traffic Licensing Regulations, it may be not permitted to fix pocket lamps on handle bars of bicycles and motorbikes.

National regulations must be followed.

Pipe Clip KU - XL for pipes approx. 28-45mm



Pipe Clip KU - XL for pipes approx. 20-28mm



Bar mount double clip; rotatable

Fits the below mentioned shafts, resp. diameters. For **23mm shafts** and the below mentioned pipe diameters D.

664151 23 + D23mm

664161 23 + D25mm

664171 23 + D30mm

Pipe Clip KU-XL for pipes 28-45mm

Suitable for shafts with the below mentioned diameter or, in the VARIO version, for different, adjustable diameters.

Fixing on a pipe occurs via elastic and strong rubber cords that can be adjusted to the required length.

CLIP version for the following shaft

diameters D:

664451 D23, pipe approx. 28-45mm

VARIO version:

Vario version for various diameters. Camera is fixed by an adjustable, elastic hook and loop closure. For shafts up to approx. 28 mm.

664461 VARIO, pipe approx. 28-45mm

Pipe Clip KU-L for pipes 20-28mm

Suitable for shafts with the below mentioned diameter or, in the VARIO version, adjustable for different diameters.

Fixing on a pipe occurs via elastic and strong rubber cords that can be adjusted to the required pipe diameter.

CLIP version for the following shaft diameters D:

664191 D23; pipe approx. 20-28mm

VARIO version:

Vario version for various diameters. Camera is fixed by an adjustable, elastic hook and loop closure. For shafts up to approx. 28 mm.

664201 VARIO, pipe approx. 20-28mm

Insulating Grips - Supersoft

Protect the skin against the cold and reduce risk of dropping due to wet hands. Made of special and very tough foam-like (no neoprene) elastomer plastic. Provide very good insulation due to lots of tiny pores.

Perfect and very tight fit. Simple fitting by use of hot water bath and washing-up liquid

Grip Supersoft C / D

For the following flashlights and other flashlights with similar shaft: MagLite, Nordic ...
Type D-Cell for approx. 35 mm shafts
Type C-Cell for approx. 30 mm shafts



Grip Supersoft C / D

Protects against cold aluminum and reduces risk of dropping due to wet hands.

For the following flashlights and other flashlights with similar shaft: MagLite, Nordic, Streamlight ...

714701 ML-C
714751 ML-D

Grip Supersoft MINI, D18



Grip Supersoft MINI, D18

Protects against cold aluminum and reduces risk of dropping due to wet hands.

For the following flashlights and other flashlights with similar shaft: MagLite Mini, Streamlight Junior ... For shaft dia 18mm.
Colours: Black or red.

712091 ML-Mini 2AA

Grip + Buckle MINI, D18



Grip+Buckle D18

Protects against cold aluminum and reduces risk of dropping due to wet hands. With hook.

For the following flashlights and other flashlights with similar shaft: MagLite Mini, Streamlight Junior ... For shaft dia 18mm
Colours: Black or red.

712151 ML-Mini 2AA

Grips for Oval Shafts



Grip Supersoft - oval

For the following flashlights and other flashlights with similar shaft (35x22mm):

714671 UK4AA
714621 Peli-STEALTH

Grip+CLIP for Oval shafts



Grip Supersoft + Cliphaken - oval

Grip with hook for following flashlights. For the following flashlights and other flashlights with similar shaft (35x22mm):

714681 UK4AA
714631 Peli-STEALTH

Utility Grip C / D

For the following flashlights and other flashlights with similar shaft: MagLite, Nordic, Streamlight ...
Type D-Cell for approx. 35 mm shafts
Type C-Cell for approx. 30 mm shafts



UTILITY Iso-Griff Supersoft f. C+D-Cell
Protects against cold aluminum and reduces risk of dropping due to wet hands. With extra ring, hook, loop with buckle (adjustable and releasable). For the following flashlights and other flashlights with similar shaft

714711 ML-C Cell, 16cm
714761 ML-D; Nordic-D..., 20cm

Carry EZ-Grip C / D



CARRY- EZ Grip + Shoulder Strap

Protects against cold aluminum and reduces risk of dropping due to wet hands. With removable shoulder strap. For the following flashlights and other flashlights with similar shaft

714721 ML-C-Cell, 16cm
714771 ML-D; Nordic-D..., 20cm

Head Straps

Universal Mounts for innumerable uses

Head Strap Turn Softback Industrial and Professional

With pivot for perfect illumination! With a super soft backing that is pleasant to the skin! With a very wide head adjustment range.

**Adjustment of the elastic head strap by use of movable gliders.
Perfect also for "big-headed people" .
With a hook and loop closure system which fits shaft diameters up to approx. 28 mm.**



Head Strap Turn Industrial

Head Strap TURN Industrial

Head strap can be adjusted to a very wide size via movable gliders.
The fixing at the shaft occurs via an adjustable and elastic hook and loop closure.
714101 black, rotatable

Color version :

Yellow, red, blue, green, rainbow
71410c rotatable

Head Strap Turn Professional

Head Strap TURN Professional

Like Head Strap Industrial, but the fixing of the shaft occurs via particularly solid rubber straps and hook and loop patches sewed on them.
Rotatable.
714021 rotatable

Lite-Strap Softback



Lite-Strap Softback

3 elastic loops allow different angles of light beam. Perfect for most common AAA and 2AA Mini-flashlights.
Fits shaft diameters up to approx. 22 mm.
Colors: Black, red, green, blue, yellow
714001

Omni - Strap



Omni - Strap

Shaft is attached by two adjustable straps with miniature buckles. With super soft reverse side. Suitable for shafts up to approx. 28 mm diameter.
Color: black
714211

Head strap plus hook and loop adapter - combo system

Super soft elastic head strap with a leather plate (and sewed loop backing) and an adapter mount for the camera shaft or flashlight shaft (with a hook backing which may be attached to the head strap leather plate).

It is also possible to sew it on jackets, bags ... or to stick it on shelves, machines, bars...
For shaft diameters up to approx. 28 mm.

Head Strap Adapter Combo Kit

Head strap with leather plate + Hook and Loop Adapter VARIO (ind. rectangular) + self adhesive loop patch:

71414k Head strap combo kit

Spare loop patches - self adhesive:
714221 2 pieces

Additional Hoop+Loop Adapter VARIO ind. rectangular (=plate with pivot and hook backing):
714231

Extra head strap with leather plate + loop patch on back side:
714141



Multi Strap Softback



Multi Strap II Softback

Angle position corresponds to the natural visual angle of the eye.
Can be used for shaft diameters up to approx. 30mm.
Super soft inside that is pleasant to the skin!
Colors: black, blue, red, yellow, green
714161

Special Mounts

For UK4AA®, PELI Stealth® + Magnum®, Streamlight® ST 2AA+ ST 4AA, MagLite®, Nordic ...

KG= single ball joint / DKG = double ball joint system

Magnet Mounts KG 32



Magnetic mount KG, 32 mm

With a magnet diameter of 32 mm and with a single ball joint. Range of inclination +/- 25 degrees. For shaft diameter D.

For the following flashlights:

714311 D18; ML-Mini AA, ST-Junior...

With steel spring clamp for:

714301 D14; ML-Micro, MityLite

71430a D18; Peli L1

Magnet Mounts KG 40



Magnetic mount KG, 40mm + Clip

With a magnet diameter of 40mm and with a single ball joint. Range of inclination +/- 25 degrees.

For the following flashlight:

714381 Streamlight ST 2AA

714391 Streamlight ST 4AA

714351 UK 4AA

C - Clamp ALUMINUM HD - DKG

Very solid clamp made out of heavy duty aluminum alloy. For nearly all kinds of flat or round objects.

Clamping range up to approx. 42 mm.



C-Clamp Aluminum HD, DKG16 With DKG 16 double ball joint system!

Very compact and particularly solid clamp for handrailings, edged poles etc. May be clamped at open car window panes, shelves, tables, cupboard doors, mechanical parts, handrailings, parts of furniture, beams...

Clamp out of HD aluminum alloy. Clamping range up to approx. 42 mm.

Fits flat and round objects.

For the following flashlights:

713501 MagLite Mini

713521 MagLite -D-Cell

713531 UK 4AA

713541 Streamlight ST 2AA

713551 Streamlight ST 4AA

713501 Streamlight Junior

With steel clamp:

713561 Peli-Mity-Lite 2AA

Magnetic ULTRA Flex Mount D 40



Magnetic ULTRA Flex Mount 40

Allows an extremely narrow bending radius. Available with clip with a VARIO hook and loop closure for shafts up to approx. 28mm). With a very strong 40mm magnet. Ideal for all compact flashlights and CCD cameras.

663261 Vario

663271 with clip D23

Magnetic Mount KG-XXL



Magnetic mount KG-XXL, 63mm

With an extra large 63 mm magnet and with a single ball joint KG.

For the following flashlights:

714331 MagLite D-Cell

714321 MagLite C-Cell

714341 UK 300

Tripods



Tripod HD Aluminum - DKG16

With DKG double ball system for an extremely wide range of adjustable angles!

Particularly solid, yet very light foldable tripod.

Made out of HD aluminum alloy for maximum rigidity and torsion resistance. It is not an easy-to-bend plastic piece!

The joint pressure plates are of stainless steel - thus a particularly solid clamping of the joint balls is possible in contrast to parts out of plastic.

The hook and loop strap has an additional pull ring for a particularly easy handling (good grip for a tight fit).

This tripod can also be attached to trees, poles... with a diameter of up to approx. 10 cm

713631 MagLite -Mini

713651 MagLite D-Cell

713621 UK 4AA

713601 Streamlight ST 2 AA

713611 Streamlight ST 4AA

713631 Streamlight Junior

With steel clamp::

713671 Peli-Mity-Lite 2AA

Special Mounts - continuation

With DKG double ball joint system for a gigantic range of adjustment !

Type VARIO has adjustable elastic hook and loop closures for shaft diameters up to approx. 28 mm.

POWER Vacuum Suction Mount 100, DKG



POWER Suction Mount 100, DKG
Extremely large vacuum cup with rocker lever. For fixing on glass and other plain, airtight surfaces.

Version VARIO:

The camera is fixed by an adjustable, elastic hook and loop closure for shaft diameters up to approx. 28 mm, thus suitable for most compact CCD cameras and flashlights.

663511 100mm; VARIO

Of course you can thread longer tightening straps at any time (see text block "Elastic Straps XL")

Vacuum Suction Mount 80, DKG



Vacuum Suction Mount 80, DKG16

Large 80 mm vacuum cup. For fixing on glass and other plain, airtight surfaces.

Not ideal for movable and vibrating objects.

For the following flashlights:

- 713401 MagLite Mini
- 713391 MagLite D-Cell
- 713411 UK 4AA
- 713421 Streamlight ST 2AA
- 713431 Streamlight ST 4AA
- 713401 Streamlight Junior

With steel clamp:

- 713441 Peli-Mity-Lite 2AA

Version VARIO:

For various diameters. The camera is fixed by an adjustable, elastic hoop and loop closure for shaft diameters up to approx. 28 mm

663561 Vario

Spring Clamps DKG

Very solid spring-clamps with extremely strong, however light, spring.

For nearly all flat and round items to be fixed. Clamping range up to approx. 30 mm



SPRING clamp, DKG

Ultra-light ! With DKG double ball joint system for an extremely wide range of adjustment.

It's the HD all-round clamp for professionals and experts who demand great stability - at an extremely low weight.

May be clamped at handrailings, panes, beams Fits flat and round objects.

Clamping range up to approx. 30 mm. Only 115 g.

CLIP version for the following diameter D:

663321 D 23

Version VARIO:

Vario version for different diameters. The camera is fixed by an adjustable, elastic hoop and loop closure for shaft diameters up to approx. 28 mm.

663311

Elastic Straps XL for VARIO mounts



ELASTIC Straps XL - extra wide

The fastener is releasable.

For particularly large shaft diameters.

Extra long, elastic, i. e. expandable tightening straps with openable fastener.

Perfect as an alternative for the standard hook and loop closure of the VARIO mounts for even larger diameters.

Its expansibility allows a particularly good pre-tension.

Can be re-used and shortened! Width 11 mm
Type 260 for diameters up to approx. 79 mm

Other sizes on request.

663791 Type 260, 2 pieces

Holster Nylon

Holster with flap

Nylon Holster Deluxe

Made of very tough Nylon fabric.
 ES = single belt loop, 6cm long
 DS = double belt loop (6cm + 9cm)
 OS = belt loop with hook and loop closure
 For the following flashlights and other flashlights with similar shape.

For UK® Lampen:

- 716101 UK 4AA, OS
- 716121 UK -300-3C
- 716131 UK -SL4C
- 716141 UK -SL6C

For PELI®-Light:

- 716601 Stealth 4AA, OS
- 716611 Super-Sabre -3C, OS
- 716631 MityLite 2AA
- 716641 MityLite 4AA

For STREAMLIGHT®:

- 716171 Scorpion ES
- 716151 Stinger +Poly-Stinger
- 716181 Polymer ST 2AA
- 716191 Polymer ST 4AA, ES
- 716161 Polymer ST 3C

For Mag-Lite®:

- 716401 ML- MICRO AAA, ES
- 716421 ML - MINI AA, ES



Image shows OS belt loop (belt loop with a hook and loop closure)

Combo - Holster

Nylon-Holster - ML MINI AA and AAA

With flap and single belt loop.

For Mag-Lite®:

- 716401 ML- MICRO AAA
- 716421 ML - MINI AA



Nylon-Holster - Combo

With flap and single belt loop. With extra elastic pouch for the flashlight.
 For the following flashlights and other flashlights with similar shaft.

- 716431 ML-Mini+LMSupertool

For other flashlights and other tools send inquiry !

For other holsters send inquiry !

Hard Hat Mounts - continuation

Slot Mount for Industrial Helmets



Slot Mount

Can be inserted into suitable slots (at common industrial helmets).

Insert tongue: width 30mm; thickness 3mm

Version with clip for diameter D:

717961 D23

Version VARIO:

The camera is fixed by an adjustable, elastic hook and loop closure which fits shaft diameters up to approx. 28 mm. Thus suitable for most compact flashlights and CCD cameras.

717951 VARIO



Hook and Loop Adapter Mount - Industrial

The removable Hook+Loop Adapter Mount fits different shaft diameters up to approx. 28 mm.. A self-adhesive loop patch is bonded to the helmet. The mounting has a hook backing to be attached to the above mentioned loop patch.

For hundreds of uses: industry, military, law enforcement, security, handycraft, hobby ...

Hoop + Loop Adapter
VARIO
INDUSTRIAL - round
removable

The round base (approx. 65mm) is particularly suitable for small surfaces.



Hook+Loop Adapter VARIO ind. round

714291

Spare adhesive loop patches:

714191 round, 2 pieces

Hoop + Loop Adapter
VARIO
INDUSTRIAL -
rectangular, removable

The rectangular base (approx. 70 x 45 mm) is particularly suitable for curved surfaces and for sewing.



Hoop+Loop Adapter VARIO ind. rectangular

714231

Spare adhesive loop patches:

714221 rectangular, 2 pieces



Hard Hat Clamp Mount Surveyer VARIO



For different shaft diameters and for hard hats with narrow brim. Rotatable !

Hard Hat Elastic Mount SURVEYER

With pivot. Elastic rubber strap is hooked on three spots on the brim of the helmet.

The length of the rubber strap is adjustable to fit different helmet sizes and shapes.

714241



Electrical Equipment

3 LED sockets as a replacement for the original bulbs (reversible at any time)

General information:

ORTEC LED sockets are a replacement of the standard flashlight bulbs. They are made of ultrabright LEDs with an extremely long lifetime. If flashlight works with more than 4,5 Volts dummy batteries must be used in order to reduce voltage to 4,5V.

3 LED-P13,5 socket for ML-C, ML-D...



3 LED socket, P13,4 X-Bright for ML...
If total voltage of flashlight would exceed 4,5 V dummy batteries must be used.
Fits ML C+D and similar flashlights.

701001 3 LED-socket 4,5V, P13,5

3 LED-E10 socket for various brands



External power supply connector

General information:

Gives the choice of connecting an external power supply instead of the use of internal batteries.

New



Power Supply Connector

Comes with an open ended cable approx. 25 cm long for individual soldering.

701501 AAA- cell size

701511 AA-cell size

701521 C-cell size

701531 D-cell size

Dummy Batteries



Dummy Batteries

For Voltage reduction in order to use 4,5 V LED socket when flashlight voltage exceeds 4,5V.

701021 AA size

701031 D-Cell size

701041 C-Cell size

International terms

Excerpt and supplementation of our general terms and conditions for business, delivery and payment

Prices:

Our prices are in EUROS and are always subject to change without notice. Our offers are always exempt from a delivery guarantee. Errors and modifications excepted! Please ask for special pre-order and quantity discounts. Net prices are asterisked (*), as they are excluded from discounts.

Delivery: Shipping ex works plus costs for packaging

Export within the EU: A minimum order of €75.-- applies, if less than that we will add €5.-- as an extra service charge.

Export beyond EU: A minimum order of €500.-- applies, if less than that we will add €15.-- as an extra service charge.

Payments:

Payments must be free of charge. All export deliveries require wire transfer prepayment or an irrevocable Letter of Credit. Open account terms require the approval of Ortec R.C.F. GmbH, Germany and are subject to separate terms.

Quantities: All products must be ordered in packing units or multiples of them.

General information:

Upon coming into effect of this price list, all previous price lists lose validity. Errors and modifications excepted. We deliver exclusively according to our general terms and conditions of business (full details see inside back cover of our print catalogue).

We reserve the right to reject deliveries.

You can also see our complete terms of business on www.Ortec-Products.de.

**Net prices are asterisked (*), as they are excluded from discounts.
Prices are effective January 1, 2008**

ORTEC
Products

ORTEC R.F.C. GmbH

POB 1103, D-84004 Landshut, Germany

Tel.: 0049 - 871-72727

Fax: 0049 - 871-71297

E-Mail: Ortec-Products@t-online.de

www.Ortec-Products.de

Mag-Lite is a registered trademark of MAG Instrument, Inc., Ontario, California, USA
Peli is a registered trademark of Peli Products Inc., Torrance, California, USA
Bright Star is a registered trademark of Koehler-Bright Star, Inc., PA, USA
UK is a registered trademark of Underwater Kinetics Corporation, San Marcos, California, USA
Streamlight is a registered trademark of Streamlight, Inc., Norristown, PA, USA
Sure Fire is a registered trademark of Laser Products, Fountain Valley, California, USA
Gallet is a registered trademark of Gallet, France
Rosenbauer is a registered trademark of Rosenbauer International, Austria

All logos, brand names and trademarks are the property of their respective owners and are used for identification only.

ORTEC is not affiliated with any of the named trademark owners and none of the products shown in this catalogue has been tested or is supported by them.

All sizes and descriptions in the catalog are only approximate information and nonbinding. Errors and modifications excepted. Along with the publication of this catalog, all previous catalogues and price lists lose their validity. Reprint - even in extracts - requires our express permission. All rights reserved. Copyright by ORTEC Reisefahrzeug-, Camping- und Freizeitprodukte GmbH, Landshut, Germany