

Selection of

Outdoor Specialities

for quality conscious

enthusiasts



January 2014

Ortec Products D-Landshut

Tel. (0049) 0871-72727 Fax.: (0049) 0871-71297 www.Ortec-Products.de

Ortec-Products@t-online.de

Blaze-Up ortec Fire Tools The full Fire Starter range

Magnesium - Firestarter



With X-HD Scraper

Magnesium Firestarter

Works even when wet! Starts hundreds of fires! Solid block of magesium, magnesium shavings are used as tinder, flint imbedded.
Rasp starting tool with included HD scraper oder

Rasp starting tool with included HD scraper oder any knive (to obtain approx. hazelnut sized heap of shavings).

Scrape sparking insert rapidly and direct sparks towards the magnesium shavings.

Shavings will be ignited easily. Cord color: various

X-HD Scraper with hardened teeth included.

660411 With XL HD scraper

Made by Ortec - Germany

Perfect fit of flint
No loosening and no loss
of integrated flint



Fire Tinder Insta Blaze

Insta Tinder

For an extremely easy fire ignition.

Each tab will be instantly ignited by sparks.

These tinder tabs have been specially impregnated to high standards to ensure that tinder tabs are water repellent

Made of extremely thin and delicate fibers (appx. 1/4 of human hair) Such fibers may catch fire instantanously

Burning time appx. 1 to 2 minutes - plenty of time to ignite paper, leafs, dry grass, twigs

For armies, hunters, outdoor specialists, survival experts, hunters, fishermen, campers, bbqing

An ideal accessory especially for the One-Hand Fire Starters.



Insta Tinder

Consists of extremely thin (appx. 1/4 of human hair) and delicate fibers, specially impregnated to high standards to ensure that tinder tabs are water repellent.

End of tab has to be spread apart carefully in or-

End of tab has to be spread apart carefully in order to obtain a tuft of individual fibers. These separated fibers will burn instantanously.

Burning time of each tinder tab appx. 1-2 minutes.

Size of each tab: appx. 25mm Weight of each tab: appx. 0.5g

660461 Package of 10 tinder tabs

Blaze-Up ortec fire Tools The full Fire Starter range

For a very easy fire ignition. Works even when wet. Ideal as well for bad weather conditions for awkward environment.

Gigantic Spark Generator Wand made of high grade minerals will ignite a tremendous number of fires without any matches or a fire lighter.

Spark temperature up to 3000°C.

For armies, hunters, outdoor specialists, survival experts, hunters, fishermen, campers, bbqing

All come with a HD-Scraper with hardened teeth for an extremely easy and longlasting use.









The smallest amongst the ORTEC Power Flint famlily. Fits every pocket, pouch ... Lasts up to approx. 1000 strikes.

Large flint diameter 5 mm

Overall length approx. 74 mm, usable length of flint approx. 36mm, appx. 21 g. HD Scraper with hardened teeth included.

Handle colors; black (s); red (r) Goblin 66035x

Power Flint - GOBLIN



Insta Tinder



Power Flint - RANGER

Insta Tinder

Consists of extremely thin (appx. 1/4 of human hair) and delicate fibers, specially impregnated to high standards to ensure that tinder tabs are water repellent.

End of tab has to be spread apart carefully in order to obtain a tuft of individual fibers. These separated fibers will burn instantanously.

Burning time of each tinder tab appx.1-2 minutes. Size of each tab: appx. 25mm Weight of each tab: appx. 0.5g

660461 Package of 10 tinder tabs







Colours:





Power Flint Ranger, 6,5 mm Lasts up to appx. 3000 strikes.
The second smallest member of the family.

Flint diameter approx. 6,5 mm, overall length approx. 84 mm, usable length of flint approx. 46 mm, appx. 30g. X-HD Scraperwith hardened edges included.

Handle colors; black (s); red (r) Ranger 66039x

OWER Flints - con

Power Flint GIANT

For incredibly large spark cascades







Power Flint Giant XL, 10 mm
Lasts up to approx. 12000 strikes.
Diameter approx. 10mm, usable length of flint approx. 64 mm, overall length approx. 101 mm Approx. 50 g.

X-HD Scraperwith hardened edges included.

Handle colors; black (s); red (r) GIANT type XL with plastic handle:

ULTRA - FLINTS XL come with extra large handles for an especially comfortable use.

Insta Tinder



Insta Tinder

Consists of extremely thin (appx. 1/4 of human hair) and delicate fibers, specially impregnated to high standards to ensure that tinder tabs are water repellent.

End of tab has to be spread apart carefully in or-der to obtain a tuft of individual fibers. These separated fibers will burn instantanously.

Burning time of each tinder tab appx.1-2 minutes. Size of each tab: appx. 25mm Weight of each tab: appx. 0.5g

Tel.: 0871-72727 / Fax: 0871-71297

660461 Package of 10 tinder tabs

Gigantic fire steels



With XL wooden handle:

660311

Аррх. 65 д.

ULTRA - FLINTS XL come with extra large handles for an especially comfortable use.

Gigantic fire steels



With genuine



Ultra Flint XL STAGHORN

Lasts up to approx. 12000 strikes. Diameter approx. 10mm Usable length of flint approx. 64 mm Overall length approx. 140 mm Approx. 65 g.

660361 Staghorn



Gigantic fire steels



ULTRA-Flint with XL handle

Lasts up to approx. 12000 strikes.
Diameter approx.10mm
Usable length of flint approx. 64 mm
Overall length approx. 150 mm Approx. 65 g.

With XL plastic handle:

Insta Tinder



Insta Tinder

Consists of extremely thin (appx. 1/4 of human hair) and delicate fibers, specially impregnated to high standards to ensure that tinder tabs are water repellent.

End of tab has to be spread apart carefully in or-der to obtain a tuft of individual fibers. These separated fibers will burn instantanously.

Burning time of each tinder tab appx.1-2 minutes. Size of each tab: appx. 25mm Weight of each tab: appx. 0.5g

660461 Package of 10 tinder tabs

POWER Flints - cont.

Sparkade Fire Starter DELUXE

Tough Aluminium Design





coming soon

Fire Starter Sparcade Deluxe

For huge spark cascades - watertight. Comes with a built in HD striking blade which will last "forever"

Made of Hi-Rel aluminium alloy with non-slip

rugged surface. With large dia 6,4mm Power Flint insert. Flint shaft size: Dia 6,4mm, shaft length: 46 mm Comes with a HD scraper blade .

Diameter of aluminium body 15mm. Overall length appx. 85mm

Screw end caps are o-ring sealed.

660241





Insta Tinder

Consists of extremely thin (appx. 1/4 of human hair) and delicate fibers, specially impregnated to high standards to ensure that tinder tabs are water repellent.

End of tab has to be spread apart carefully in order to obtain a tuft of individual fibers. These separated fibers will burn instantanously.

Burning time of each tinder tab appx.1-2 minutes. Size of each tab: appx. 25mm Weight of each tab: appx. 0.5g

Sparcade Belt Holster

Expecially made for the Sparcade Fire Starter; with hook and loop closure; fits belts up to 45mm

716651



One-Hand Fire Starter

For emergency use

Insta-Sparker MINI, Orange

One-hand version allows you start to your fire even with an injured second hand.

Works even when wet! Starts hundreds of fires! Flint included.

Extremely robust construction with hardened grooved wheel.

Length appx. 59mm only. Body thickness appx. 8x8mm.

Comes in a box with included Insta Tinder Tabs.

660471 Sparker Mini+ tinder tabs

Spare Insta Tinder Tabs, water repellent 660461 **Tinder tabs, 10 pieces**

Insta - Sparker MINI, Orange



Insta Tinder



Insta Tinder

Consists of extremely thin (appx. 1/4 of human hair) and delicate fibers, specially impregnated to high standards to ensure that tinder tabs are water repellent.

End of tab has to be spread apart carefully in order to obtain a tuft of individual fibers. These separated fibers will burn instantanously.

Burning time of each tinder tab appx.1-2 minutes. Size of each tab: appx. 25mm Weight of each tab: appx. 0.5g

660461 Package of 10 tinder tabs

Insta - Sparker Aluminium Deluxe



Insta-Sparker Aluminium Deluxe

One-hand version allows you to start your fire even with an injured second hand.

Works even when wet! Starts hundreds of fires! Flint included.

Extremely robust construction with hardened grooved wheel. Flint replacable. Made of Hi-Rel aluminium alloy with non-slip rugged surface.

Length appx. 75mm, body dia 8mm Comes in a box with included Insta Tinder Tabs.

660481 Sparker Alum.+ tinder tabs

Spare Insta Tinder Tabs, water repellent 660461 **Tinder tabs, 10 pieces**

Fire Tinder Insta Blaze

Insta Tinder

For an extremely easy fire ignition.

Each tab will be instantly ignited by sparks.

These tinder tabs have been specially impregnated to high standards to ensure that tinder tabs are water repellent

Made of extremely thin and delicate fibers (appx. 1/4 of human hair) Such fibers may catch fire instantanously

Burning time appx. 1 to 2 minutes - plenty of time to ignite paper, leafs, dry grass, twigs

For armies, hunters, outdoor specialists, survival experts, hunters, fishermen, campers, bbqing

An ideal accessory especially for the One-Hand Fire Starters.



Insta Tinder

Consists of extremely thin (appx. 1/4 of human hair) and delicate fibers, specially impregnated to high standards to ensure that tinder tabs are water repellent.

End of tab has to be spread apart carefully in or-

End of tab has to be spread apart carefully in order to obtain a tuft of individual fibers. These separated fibers will burn instantanously.

Burning time of each tinder tab appx. 1-2 minutes.

Size of each tab: appx. 25mm Weight of each tab: appx. 0.5g

660461 Package of 10 tinder tabs

to make the best of your fire starter

POWER SCRAPER



POWER -Scraper

For huge spark cascades. Very tough hardening of blade allows longlife use. Made of hardended HD steel alloy. Overall length appx. 60 mm. 660161

Blaze-Up ORTEC Mini Tools Folding Knives and Saws The Permanent Companions

Folding Miniature Saw



Will cut wood, plastic, bone, ice, aluminium, frozen meat ...

Hardened steel blade, blade length: 5,2 cm Pack size: 7 x 1,6 x 0,5 cm Weight: 8 g 660181

Folding RAZOR Knive MINI



ORNE Groducts

With a razor sharp blade. Blade length: 5,2 cm Pack size: 7 x 1,6 x 0,5 cm Weight: 8 g

11

www.Ortec-Products.de

ORTEGroducts

Light Signals

Signalling Mirror ULTRABRIGHT

Light Cones for 25mm heads



Lite Cone - dia 25mmFits for instance Legend® 2AA, MagLite® Mini 2AA, Streamlight Junior® etc.

Comes with an extra center hole if a focussed beam is requered.
Colors: White, yellow, red
715701



Signalling Mirror X-bright D65 Comes with a very even and bright surface for a well fucussed reflecting beam. Diameter approx. 65 mm. 659991

Acustical Signals

Whistles with Hook - very loud

Whistles with Hook

Flat whistle, very loud, with hook for belts, rucksacks, daypacks Available with side release buckle only. 731021 with buckle

Tel.: 0871-72727 / Fax: 0871-71297



HD Outdoor Wire Saw

HD Wire Saw with hardened teeth

Power Cutting Wire with milled and hardened teeth



With additional links

to avoid sharp bends when pushing

Wire Saw SUPER-HD hardened

Saw wire with precisely milled and hardened high performance toothing (no simply punched tin teeth).

Because of the hardening the wire must not be bent sharply.

New model is fitted with an extra intermediate linkage between ring and saw wire in order to reduce riskof bending.

Cuts frozen meat, wood, plastic, ice, aluminium, bones ...


660111

ORTEC Special Tools Chain Saw HD

It's the perfect on the go saw

X - light version
appx. 170g only
instead of appx 220g as often usual

Chain Saw HD X-light









Chain Saw HD - X-light

With minature pack size

Nylon pouch included

Very sturdy and robust yet x-light handles

Length of chain appx. 70 cm Appx. 170 g

660241

Emergency Kits

Trekking - Pack Premium

With high quality contents



With high quality contents

Contains most neccessary and helpful utensils in case you are out of supply.

Provides also expedients for emergency signals.

Very helpful for emergencies and breakdowns.

List of contents:

Water bag (with leak-proof latch), rescue blanket gold/silver, rope - white, mini compass, mini candle, flint with scraper, aluminium foil water cup, medical scalpel, matches, mirror, hardened wire saw, whistle, brass wire, safety pins, pencil, 2 fishing-hooks, fishing line, sewing kit, keyring

Because food and means for the sterilisation of water are only terminally suitable for storage, we have not enclosed them for security reasons.

Ilt's no use getting sick in the very moment you need the devices, only because the items are expired and possibly spoiled.

Thus please purchase these items in a shop or online shop before you start your trip.

15

660681

Tel.: 0871-72727 / Fax: 0871-71297

ORTEC Money Belts

Nylon Money Belt DELUXE 30mm

Comes with a Design Nylon belt



Money-Belt + Design-Nylon, 30mm With especially designed Nylon fabric and with a very tough plastic buckle.

With XL money compartment (approx. (appx. 60

Length of belt: 120cm, may be shortened easily. Color: black; other colors on request. 662111





ORTEC

JEANS Belt - SAFE 40mm, Nylon, with XL money compartment 60 x 4cm

EXTRAWIDE

Comes with a Design Nylon belt



Belt - SAFE 40 mm - Nylon

It's the ideal money belt for the wide belt loops with Jeans usually have.

Comes with a XL money compartment (approx. 60 cm long, 4 cm wide) and with a very tough buckle. May be shortened very easily. Color: black

Length of belt: 120 cm

Type A with lever buckle 40mm

662081



Type B with side release buckle 40mm

66208b

Travel Accessories

Seat Cushion - insulating



Seat Cushion, insulating
Bubble foil with aluminium coating.
Appx. 35 x 35 cm.
61900L bulk

61900L folded, in poly bag

Carabiners INOX



Quick Link INOX HD

Very robust, 100% safe.
No unintended opening due to solid coupling nut. Thickness 4mm.
Not for lifting purposes!
732011 50 mm, 8g, bulk
732021 60 mm, 9g, bulk

SET of 2 (one of each size) 73204a 2 in poly bag

Hat and Cap Clip



Hat and Cap Clip

With very tough steel clips which provide a very good holding power.
Ideal for sailing, windy weather walks, all kinds of

Comes with a slightly elastic and smooth cord.

Colours: Black or grey-black Length: 30 cm

428991

Goggle Cleaner



Lens + Goggle Cleaner Micro Fiber Works even without water application. Perfect for the go. Appx. 15 x 15 cm. 428981

Ear ULTRA Plugs



Ear ULTRA-Plugs
Made of supersoft plastic with christmas tree

shape.
Plugs may be washed for reuse.
Ideal as well for sport activities.

Box contains 2 plugs 4 g only

With very good noice dampening value SNR 30 662041

Personal Hygiene



ULTRA concentrated and unscented

Also suitable for your dishes and extremely efficient.

Travel soap ALLWATER ultra concentrated and unscented


High quality - With an extrmely high proportion of cleaning supplies. Also suitable for saltwater. Biodegradable.
For hair, laundry, body, shaving, dishes etc. 665181 100ml 665231 500ml

Tel.: 0871-72727 / Fax: 0871-71297



Personal Hygiene

WASHCLOTH MICRO FIBER



Washcloth Micro Fiber
Very pleasant and comfortable to the skin.
Made of woven microfiber capillary action fabric .
Perfect for the go. Appx. 15 x 15 cm.
428981

Tel.: 0871-72727 / Fax: 0871-71297

ULTRA-TOWEL Soft&Dry

WASHCLOTH Capil-Soft





ULTRALIGHT - Towel Soft & Dry Extremely light towel made of capillary action fabric. Very thin. Very small pack size. Great absorbency!

Uses: Hair, hands, face ... 662491 30x30 cm, appx. 10g

Washcloth / Mini Towel CapilSoft

Very pleasant and comfortable to the skin. Ideal as well for allergy sujfferers. Non-woven, with very high capillary action. Appx. 30 x 30 cm 66269s

Soap Box, elastic



Soap Box MINI, elastic Featherlight

25 g only Dimensions: 8,5x5,5x3,2cm inside Colors: White respectively granite 665151

ULTRALIGHT Mirror - ULTRATHIN 1mm only



EXTREMELY THIN

ULTRALIGHT

Perfect for an extreme weight reduction.

Made of very strong and robust plastic. May even be bent slightly in order to adapt luggage pressure.

Thickness appx. 1mm Comes with a protective foil to avoid scratches. 2 sizes available. 6 x 8cm and 7,5 x 10 cm

6 x 8, appx. 4 g only 7,5 x 10, appx. 7g only

Toilet Seat Cover



Toilet - Seat Cover

665111 **25 pieces**

Personal Hygiene

POWER Towel Capil-Soft

POWER Towels made of CapilSoft dry considerably faster than conventional cotton towels.

They have a very small pack size and are extremely light.







CapilSoft textiles consist of millions of absorbent capillary cavities for an extremely high capillary absorbing effect (up to - believe it or not - about 450 % of its dead weight).

The CapilSoft fibers out of polyester and polyamide are 7/1000 mm thick and thus one hundred times thinner than human hair. The extremely fine CapilSoft fibers are not woven or spun with one another. They are rather homogeneously grouted as well as split into micro filaments, so that the absorptivity rises enormously. This procedure has been especially patented.

Thus, a particularly solid textile is created that consists of millions of microscopically small fibers that enable a maximum absorptivity, rapid drying and an especially nice feeling on your skin. As the material is very hard-wearing, tear-proof, easy to wash and does not frazzle, the towels are

very long-lasting.

CapilSoft micro filament textiles are resistant to ultraviolet rays, are permeable to water vapor and breathable. CapilSoft micro filament textiles don't make fluff and are thus suitable for allergy sufferers.

Power Towel CapilSoft

Mini Towel 30 x 30 cm: 662691

Towel 75 x 65 cm:

For hands, feet etc.; weight 53 g. 662701

Bath towel 115 x 65 cm:

For the whole body; weight 83 g. 662711

Beach towel 180 x 65 cm:
For drying the whole body and for relaxing on the beach. Weight: 127 g; 662721

Tel.: 0871-72727 / Fax: 0871-71297

POWER TOWELs CapilSoft are available with:

30 x 30cm, about 12 g, # 662691 75 x 65 cm, about 53g, # 662701 115 x 65 cm, about 83g, # 662711 180 x 65 cm, about 127g, # 662721

Zipper plastic bag or zipper pouch made of fabric and netting

Towel colors: cream - Ask for other colors.

ORTEG roducts

Personal Comfort and Hygiene

Ultralight Mikro-Fiber SLEEPING BAG made of Capil-Soft

Sleeping bag for:

For hotels, youth hostels, bed and breakfast, RV-vehicles, camping, schi huts

Perfect also for sleeping outdoor in tents, on campbeds, on sleeping mats ...

Ideal for warm environment or as a second sleeping bag (inside).

Allows you to avoid skin contact with filthy and smelling bed clothes.

Perfect also for allergy sufferers

With Zipper
With cushion insert pouch

Sleeping Bag CapilSoft

Tel.: 0871-72727 / Fax: 0871-71297

Appx. 230cm x 70cm/40cm 662681



Technical description - Capil-Soft

CapilSoft textiles consist of millions of absorbent capillary cavities for an extremely high capillary absorbing effect (up to - believe it or not - about 450 % of its dead weight).

The CapilSoft fibers out of polyester and polyamide are 7/1000 mm thick and thus one hundred times thinner than human hair. The extremely fine CapilSoft fibers are not woven or spun with one another. They are rather homogeneously grouted as well as split into micro filaments, so that the absorptivity rises enormously. This procedure has been especially patented.

Thus, a particularly solid textile is created that consists of millions of microscopically small fibers that enable a maximum absorptivity, rapid drying and an especially nice feeling on your skin.

As the material is very hard-wearing, tear-proof, easy to wash and does not frazzle, the towels are

very long-lasting.

CapilSoft micro filament textiles are resistant to ultraviolet rays, are permeable to water vapor and breathable. CapilSoft micro filament textiles don't make fluff and are thus suitable for allergy sufferers.

ORTEGroducts

FOLDING BBQ System MINI PACK - INOX

Barbecues with foldable grill grid for minimum size For ecological reasons not stained.


Please note: In Germany and some other EC countries the use of additional braziers is required.

ORTEC POLE + PEDESTAL Grill MINI Pack

Foldable grid mechanism



Minimum pack size!



POLE + PEDESTAL Combo Gril

The stainless grid can be folded to a minimum pack size!!

Pole grill be turned into a pedestal grill by leaving out the pole and using the included pods.

As flexible as it gets!

The foldable grid about 30 x 20cm - stainless steel!!

Broad handle for maximum tilt resistance of the grid.

The two-piece pole (HD aluminum alloy) has a special steel thread insert (for maximum stability and rupture safety)!

The grid is continuously height-adjustable. For ecological reasons not stained.

Extra slim, red bag included (pack size about 51 cm).
Weighs only about 830 g (without bag)

639921

ORTE Groducts

FOLDABLE BBQ System MINI PACK - INOX

ORTEC PEDESTAL Grill MINI Pack

Pedestal grill MINI PACK-foldable

With broad legs - so that the grill won't be gorged by the ground.

The forficate grid can be folded.
The straps can be removed and folded.
All parts consist of stainless steel. Surface size about 30x20cm.
Extra slim bag included (pack size about 51cm) 639821

With swivel grid system!




Highlights

- ► Foldable to minimum pack size
- ▶ Big grilling surface: 30x20cm
- ▶ With ground pods
- ► All parts of stainles steel

With extended support for soft grounds!

For ecological reasons

For ecological reasons



Wide-mouth bottles square + round

Fantastic cost/performance ratio!

Especially high-quality and robust flasks of polyethylene with absolutely airtight lid.

The sealing occurs by a captive sealing cone - all the flasks have an extremely wide mouth diameter

SUPER wide-mouth bottle <u>square</u> HDPE - extra robust



Wide-mouth bottle square SUPER Especially solid!

Conic seal squeeze-type gasket.Break-proof HDPE. Absolutely airtight G=Overall diameter of the thread (mm)

639261	20 ml - G28
639271	30 ml - G 28
639291	50 ml - G28
639301	100 ml - G32
639311	250 ml - G50
639321	500 ml - G65
639331	1000 ml - G65
639341	1500 ml - G65

Spare closures

Lids for ORTEC W.M.-bottles G=Overall size of the thread (mm)

638811	G25
638821	G28
638831	G32
638841	G40
638851	G50
638861	G65

Tel.: 0871-72727 / Fax: 0871-71297

SUPER wide-mouth bottle <u>round</u>
LDPE



Wide-mouth bottle round

Conic seal squeeze-type gasket, break-proof, soft PE.
Absolutely airtight
G=Overall diameter of the thread (mm)

620024	20 ml. C 25
639031	20 ml; G 25
639041	30 ml - G25
639051	50 ml - G32
639061	100 ml - G32
639131	200 ml - Rest - special price
639071	250 ml - G40
669141	300 ml - Rest - special price
639081	500 ml - G50
639091	750 ml - G50
639101	1000 ml - G65
639111	1500 ml - G65
639121	2000 ml - G65
000121	2000 1111 - 000

Bottles and Flasks (miscellaneous) - Continuation

Dispensers with safe closures



Dispensers PolyethyleneBottles with screw caps and separate dosing inset which is pressed in. It can be pried and

pressed in again.
Perfect for liquid soap, mustard, oil, vinegar, dish liquid, shampoo, solution for contact lenses ...
Enables accurately dosed extraction.

COMBO - Set: 20ml + 50ml + 100m 639441 **20+50+100 ml**

Spray bottles



Spray bottle set Set with 2 PE bottles with solid pump mechanism and protection cap.

For very fine doses and for spraying.

639401 2 pieces with 50 ml each

Household

Ultralight Clips




Multi - Clips
Very strong and light all-purpose clips with grooved ends for socks, towels etc.
Color: white
15 Stück
635451

Egg Boxes



Egg Box 662371 **2 - fach** 662381 **6 - fach**



Egg Box with Salt Shaker 66237s

Drying Laundry

SAFETY Clothesline - twisted,



Clothesline Exquisit - twisted
Twisted clothesline with safety hooks made of elastic cords.

No clothespins needed.

The laundry is simply pinched between the twisted elastic cords. With very solid, robust and rounded safety hooks for an excellent protection against injuries. Expandable up to about 1.5m.

635501

Clothesline with **SELF RETAINING Slides Mini Pack**





With Self Retaining Slides! Miniature pack size (with Mini pouch)

Clothesline + Self Retaining Slides

With 10 strongly self retaining slides (10x) for a very reliable fixation of laundry.


The laundry is placed between two parallel cords and fixed with the self retaining slides. Length up to about 3.5 m

635511

With strong self retaining slides!



Camping Accessories



Sun shade peg HD 55cm, 1,1kg, HD version, fits shafts up to 30mm. 611051

Sun shade peg - Tarzan Very tough, fits shafts up to 30mm Comes with a bow screw to avoid damages. 611071 appx. 50 cm

Tel.: 0871-72727 / Fax: 0871-71297



Bicycle StandHolding plate is detachable, may be used as well as a wall mount. Zinc plated.
611031



Fixations for mosquito nets

Pad eye HD TWIN - self adhesive

Mosquito net ADHESIVE HOOK TWIN - HD - ultra light For extra strong hold - with extra large bonding area



Mosqu.net Adhesive Hook TWIN

Extra slim design.

Especially developed for usage on the go. Diameter appx. 60mm with gaps for a better grip (for a better detaching); with solid hanging hook for the cords.

Also suitable for fixation on walls. Comes with extra large self abhesive pad.

Perfect also for use of 2 detachable X-HD adhesive strips like TESA Powerstrips or 3M Command Strips(R).

651661 Pad eye HD - TWIN

Net Mount Kit - Fix Kit Universal PLUS

FIX-KIT Universal PLUS

Set with everything you need for fixing nets.

With an additional can for pointy small parts your luggage is not damaged

Parts:
4 three-hole adjuster for the cord / 4 suction cups / 4 screw hooks / 8 solid and large tacks / 8 safety pins / 20 m cord

651721 Fix-Kit Universal Plus

Tel.: 0871-72727 / Fax: 0871-71297



Tent Lighting



Side reflector SIDE-LITE INOX Extra large for best light yield <u>and</u> flexible - for focussing your light wherever you want to. Can be fixed at all common candle lanterns. Advantage: It consists of elastic spring steel and

708281 Super bright
708291 Polished to a high finish



Top reflector TOP-LITE INOX Safe Lock reflector with XL rivets.

Stainless! With super bright surface. For a light that does not vanish to the top. Best suitable as a reading device! Appx. 25g 708321 Super bright



X - LONGLIFE Candles Ortec - made



<u>Leather bag</u> deluxe Genuine leather - various colors! Very classy. 708221

Fleece bag Very fluffy velour nylon. Various colors. 708231



Packing can SAFEPACK

Very sensible packaging container! Crystal clear. Adjustable with telescope fastener! Suitable for all camping lanterns available. 25g only



POWER Candles LONGLIFE

Fabulous burning time of up to 10 hours! Extra thick and extra large! Special composition and size, so that it is suitable for nearly all common candle lanterns.

Also perfect for US lanterns!

Very good cost/performance ratio! 708471 Set with 3 pieces

Tent Accessories

HD Tent Peg TOPSAFE, Steel

Safety plate on top reduces danger of injuries when stum-



Tent Peg HD, Steel TOP SAFE Welded topm plate, zinc plated. 609001 30 cm

609001 **30 cm** 609011 **40 cm** 609021 **50 cm**

Fluorescent NEON - Cord HD

SIGNAL cord NEON-fluorescent

HD reflecting neon cord for perfect visibility. With premium aluminium guyline runners With yellow NEON signal color

Set of 4 pieces

60795r 3 mm; 2m 60796r 3 mm; 3m 60797r 3 mm; 4m



HD guyline tensioning ORANGE



Guy line runners HD-Alum.Orange Heavy duty aluminium alloy - for perfect stability. No sleazy sheet plate.

Orange colour 60920r 10x, orange

HD guyline tensioning



Aluminum HD guy line runners Heavy duty aluminium alloy - for perfect stability. No sleazy sheet plate. 609201 10x



Anchor plates HD f.guy line-Orange Heavy duty aluminium alloy - prevents from fraying of guyline. For stormy conditions Orange colour 60908r 10x, orange



Alum. HD guy line anchor plates
Heavy duty aluminium alloy - prevents from fraying of guyline. For stormy conditions
609081 10x

Camera and Photo Tripods HD- extra solid

DKG = double ball joint system

All items with the DKG double ball joint system for a maximum range of adjustment!

Pressure plates are made out of stainless steel and - contrary to plastics - are nearly indeformable for a particularly solid bracing of the joint balls.

With DKG double ball system for an extremely wide range of adjustable angles!

Particularly solid, yet very light foldable tripod.

Made_out of HD aluminium alloy for maximum rigidity and torsion resistance. It is not an easy-to-bend plastic piece!

The joint pressure plates are of stainless steel - thus a particularly solid clamping of the joint balls is possible in contrast to parts out of plastic.

The hook and loop strap has an additional pull ring for a particularly easy handling (good grip for a tight fit).

Tripod MAXI HD ALUMINIUM





Tel.: 0871-72727 / Fax: 0871-71297

Tripod HD MAXI Aluminium, DKG16

This tripod can also be attached to trees, poles... with a diameter of up to approx. 10 cm

With 1/4 inch camera thread, length 20cm, approx. 150g

662921

ORTEG roducts

C-Clamps and Spring Clamps

Concerning the adjustability of the tilt head, no wish remains open, thanks to the brilliant ORTEC double ball joint system DKG The DKG double ball joint system with clamping brackets out of stainless steel ensures a gigantic range of adjustability and garantees a very tight fit.

C - Clamp ALUMINIUM **HD-DKG**

Very solid clamp made out of heavy duty aluminum alloy.

For nearly all kinds of flat or round items to be

Clamping range up to approx. 42 mm.

Spring Clamps DKG

Very solid syet very light pring-clamps with extremely strong spring.

For nearly all flat and round items to be fixed. Clamping range up to approx. 30 mm



Camera screw







Only approx. 130 g. A solid lightweight - ideal on the go!!





C-Clamp Aluminium HD, DKG16 With DKG 16 double ball joint system!

Very compact and particularly solid clamp for handrailings, edged poles etc. May be clamped at open car window panes, shelves, tables, cupboard doors, mechanical parts, handrailings, parts of furniture, beams... Clamp out of HD aluminium alloy. Clamping range

up to approx. 42 mm.

Tel.: 0871-72727 / Fax: 0871-71297

Fits flat and round objects

With 1/4 inch camera thread

Camera screw DKG16 + thread With DKG double socket joint ball!

Brilliant facility to fix cameras on nearly any kind of wood.

It can be screwed into trees, wooden posts ... Grip has a big diameter for easy screwing.
Guarantees an unjittered fixing of the camera!

With 1/4 inch camera thread 663001 1/4" 663001

SPRING clamp, DKG Ultra-light - With DKG double ball joint system for an extremely wide range of adjustment.

It's the HD all-round clamp for professionals and photography experts who demand great stability - at an extremely low weight.

May be clamped at handrailings, panes, tubes ... Fits flat and round objects.

Clamping range up to approx. 30 mm. Only 115 g.

With 1/4 inch camera thread

LIMB-LEASH with Flex Cord and HD Hook

Guards your valuable gear against loss

Safely tether your gear with a detachable mount

For Wrist and Forearm

Spiral cord may be detached if desired

Adjustable hook and loop closure garantees a perfect fit

ORTEC LIMB LEASH strap has got an elastic middle section to adjust muscle tensions

Strap is provided with a super soft surface that is very pleasant to the skin

With elastic straight cord or elastic spiral HD Flex Cord (translucent or black)

With extra hook for a spiral bypass
Usable for individual cords too (for torches, knives, pouches ...)

Detachable cord







LIMB-Leash WRIST+ Hook Comes with an adjustable hook and loop closure system for wrist attachment.

With detachable and replacable spiral cord with HD plastic hook.

With additional hook for a spiral bypass. 666541

LIMB-LEASH with Spiral Cord - Multi Use model Continuation

Guards your valuable gear against loss

Safely tether your gear with a detachable mount

Perfect also for UNDERWATER USE

Cord may be detached and substituted if desired
Usable for individual cords too (for diving torches, diving knives, pouches ...)

Spiral cord may be detached if desired

Adjustable hook and loop closure garantees a perfect fit

ORTEC LIMB LEASH strap has got an elastic middle section to adjust muscle tensions

Strap is provided with a super soft surface that is very pleasant to the skin

Strechable and elastic HD spiral cord (translucent or black) allows lengthening if desired



Tel.: 0871-72727 / Fax: 0871-71297

Tie Down Straps - Ortec made



Straps 20/25+Steel Buckle

Belts +Steel plate lock Belt out of high-strength polyester! For bik-ing, hiking etc; with extra solid steel clamp. Available in bulk or carded.

x=L for loose (=1st price) x=1 for 2 pieces, carded (=2nd price):

20 mm broad:

45030x	20mm; 0,5m
45031x	20mm; 0,75n
45032x	20mm; 1,0m
45033x	20mm; 1,5m
45034x	20mm; 2,0m

25 mm broad:

45024x	25mm; 0,75r
45025x	25mm; 1,0m
45026x	25mm; 1,5m
45027v	25mm: 2 0m

Straps 20/25+LL Buckle

Belt + LL Buckle

High-strength polyester belt + nylon buckle!
Available in bulk or carded.

x=L for loose (=1st price) x=1 for 2 pieces, carded (=2nd price):

20mm wide:

45120x	20mm; 0,75m
45121x	20mm; 1m
45122x	20mm; 1,5m
45123x	20mm: 2m

25mm wide:

45130x	25mm; 0,75m
45131x	25mm; 1m
45132x	25mm; 1,5m
45133x	25mm; 2m

Straps 18+ Cast Buckle

Belt 18 mm + cast buckle

High-strength poyester belt + especially solid cinc cast buckle! 18mm wide.

Available in bulk or carded.

x=L for loose (=1st price) x=1 for 2 pieces, carded (=2nd price):

45014x	0,75m
45015x	1 m
45016x	1,5 m
45017x	2 m





Trekking strap COLOR PESOut of high-strength polyester - in brilliant colors!

Even our colored belts are out of polyester - For

a better sliding effect of the buckle even after long use. While supplies last. Available in bulk.

25 mm wide.

Red (R), green (G), blue (B) yellow (Y).

45171L 45172L 45173L 45174L 0,75 1 m 1,5m 2 m

Straps + woven Logo



Straps + woven LOGO

Name can be woven in starting from 3000 meters In 20mm and in 25mm available!

Please ask for a special offer!

ORTEC elastic straps with hook and loop fastener



Perfect for: camping mats, sleeping bags ...

Strap-All elastic straps
Elastic belts with hook and loop fastener.
Size indicates the total length when undilated.

620461 **30cm, 2x** 620471 **40cm, 2x** 620481 **50cm, 2x**

ORTEGroducts

Tel.: 0871-72727 / Fax: 0871-71297

Head Straps

Universal Mounts for innumerable uses

Ideal for flashlights, CCD - cameras ...

Head Strap Turn Softback Industrial and Professional

With pivot for perfect illumination! With a super soft inside that is pleasant to the skin! With a very wide head adjustment range.

Adjustment of the elastic head strap by use of movable gliders. Perfect also for "big-headed people".

With a hook and loop closure system which fits shaft diameters up to approx. 28 mm.

Omni - Strap



Omni - Strap

Shaft is attached by two adjustable straps with miniature buckles. With super soft reverse side. Suitable for shafts up to approx. 28 mm diame-

Color: black 714211





Multi Strap Softback

Lite-Strap Softback



Head Strap Turn Industrial

Head Strap TURN Industrial Head strap can be adjusted to a very wide size via movable gliders.

The fixing at the shaft occus via an adjustable and elastic hook and loop closure. 714101 black, rotatable

Color version:

Yellow, red, blue, green, rainbow 71410c rotatable



Multi Strap II SoftbackAngle position corresponds to the natural visual angle of the eye.

Can be used for shaft diameters up to approx.

Super soft inside that is pleasant to the skin!

Colour: black; others on request 714161



Lite-Strap Softback

Elastic head strap with a supersoft backside. Comes with 3 loops for 4 flashlight angle positions. Fits most AAA and 2AA Mini-flashlights.

Black: 714001

Schwarz

Red, green, blue or violet 714400c Color version

Lamp Accessories = Small Selection

Pipe Clamp HD VARIO



Pipe Clamp - rotatable

With very tough pipe clamp.

Vario version for various diameters. Camera is fixed by adjustable, elastic hook and loops straps. Fits shafts up to appx. 28 mm.

66414a fits pipes appx.. 20-23 mm
66414b fits pipes appx. 23-25,5mm
66414c fits pipes appx. 25-28 mm

Other sizes on request!

Leather Torch Holster

Leather Torch Holster DELUXE Precisely suited for perfect fit. Cone-shaped for rapid removal and easy replacement. e. g. for Legend D, MagLite C+D, Nordic D. 715001 Type D 715011 Type C

Tel.: 0871-72727 / Fax: 0871-71297

Nylon Torch Holster



Nylon Torch Holster DELUXE Elegant design;cone-shaped for rapid removal and easy replacement.Adjustable loop.
e.g. for Legend D, MagLite C+D, Nordic D
712601 Nylon holster C+D

Lite - Cone for 25mm heads



Lite Cone - dia 25mm Works with Legend® 2AA, MagLite® Mini 2AA, Streamlight Junior® etc.
Fits all flashight heads with diameter appx.

25mm.
With front opening for passage of a central ray.
Colors: white, yellow, red
71570w white
71570y yellow
71570r red

LED - Conversions for headlamps + accessories

For PrincetonVortec , LAGO , PETZL DUO + ZOOM , SPELEO Technics

ED Socket Screw Type

Dummy Batteries





Battery - Dummy R

For voltage reductions.

Is being used as a replacment of a standard battery in order to obtain the desired lower

Ideal for the use of 4.5 V LED sockets when the battery container incorporates 4 or more compartments.

Color of AA and AAA version may differ.
700991 AAA (Micro)
701021 AA (Mignon)
701031 D-Cell (Mono)
701041 C-Cell (Baby)

LED Conversion Kit - Srew Type

Replaces all standard bulbs with an E10 screw socket. and with 4,5 volts. Comes with 3 ultrabright LEDs.

Burning time appx. 80 hours with decreasing bightness. Burning time depends on battery type and temperature.

701011 Srew type E10 w 3 LEDs

External Battery Adapter

General Information:

Replaces a standard battery in order to connect an electrical device to an external current source.





LED Conversion Kit - Plug Type Replaces all standard bulbs with a E10 screw socket. and with 4,5 volts. Comes with 3 ultrabright LEDs.

Burning time appx. 80 hours with decreasing bightness. Burning time depends on battery type

Tel.: 0871-72727 / Fax: 0871-71297

701001 Stecksockel P13,5 + 3 LED



Battery Adapter - external

Comes with an external cable (appx. 25 cm long).
Color of AA and AAA version may differ.

701501 AAA / Micro - on request

701511 AA / Mignon

C / Baby 701521

701531 D / Mono Full terms at www.ortec-products.de

International terms

Excerpt and supplementation of our general terms and conditions for business, delivery and payment

Prices:

Our prices are in EUROS and are always subject to change without notice. Our offers are always exempt from a delivery guarantee. Errors and modifications excepted! Please ask for special pre-order and quantity discounts.

Net prices are asterisked (*), as they are excluded from discounts.

Delivery: Shipping ex works plus costs for packaging

Export within the EU: A minimum order of € 75.-- applies, if less than that € 5.-- will be added as an extra service charge. Export beyond EU: A minimum order of € 500,— applies, if less than that € 15.-- will be added as an extra service charge.

Payments:

Payments must be free of charge. All export deliveries require wire transfer prepayment or an irrevocable Letter of Credit. Open account terms require the approval of Ortec R.C.F. GmbH, Germany and are subject to separate terms.

Quantities: All products must be ordered in packing units or multiples of them.

General information

Upon coming into effect of this price list, all previous price lists lose validity. Errors and modifications excepted. We deliver exclusively according to our general terms and conditions of business (full details see inside back cover of our print catalogue).

We reserve the right to reject deliveries.

Tel.: 0871-72727 / Fax: 0871-71297

No claims can be made concerning errors of any type in this catalogue.

You can also see our complete terms of business on www.Ortec-Products.de.

Net prices are asterisked (*), as they are excluded from discounts.

Prices are effective June 1, 2010



ORTEC R.F.C. GmbH POB 1103, D-84004 Landshut, Germany

> Tel.: 0049 - 871-72727 Fax: 0049 - 871-71297

E-Mail: Ortec-Products@t-online.de

www.Ortec-Products.de

All sizes and descriptions in the catalog are only approximate information and nonbinding. Errors and modifications excepted. Along with the publication of this catalog, all previous catalogues and price lists lose their validity. Reprint - even in extracts - requires our express permission. All rights reserved. Copyright by ORTEC Reisefahrzeug-, Camping- und Freizeitprodukte GmbH, Landshut, Germany

Full company name: Ortec Reisefahrzeug-, Camping- und Freizeitprodukte GmbH







Ortec Products
D-Landshut
Tel. (0049) 0871-72727 Fax.: (0049) 0871-71297
www.Ortec-Products.de
Ortec-Products@t-online.de

Tel.: 0871-72727 / Fax: 0871-71297

www.Ortec-Products.de ORTEC