

**WATER LINE**



**CAMERA**  
**accessories**

**WATER LINE**

- **Surface Water range**
- **Underwater DIVE range**

**CLASSIC line - see extra catalogue**

**Dealer's purchase list prices included**

**ORTEC** Products

**March 2017**

**ORTEC R.F.C. GmbH**

**PF 1103, D-84004 Landshut, Germany**


**Tel.: 0049-871-72727 Fax: 0049-871-71297**

**E-Mail: [Ortec-Products@t-online.de](mailto:Ortec-Products@t-online.de)**

**[www.Ortec-Products.de](http://www.Ortec-Products.de)**

# Special Products - Survey

## Aluminium





## Special Products - Survey



## Special Products - Survey






## Special Products - Survey



## Special Products - Survey





## General information concerning the **ORTEC DKG double ball joint system**

With regard to the adjustability of the tilt head, no wish remains open, thanks to the brilliant ORTEC double ball joint system DKG

The DKG double ball joint system with clamping brackets out of stainless steel ensures a gigantic range of adjustability and guarantees a very tight fit.

Clamping occurs via highly robust steel pressure plates which press against a double ball joint system with their circular notches.

This way, the fixation is steady as a rock, as there is no pressure on the surface of the ball, but the pressure takes effect alongside the rim of the circular notches.

This means that slipping is nearly impossible.

The double ball joint system is optimized for an extremely wide range of adjustable angles.

### DKG single components and system components:

Our DKG VERSA MOUNT system components to be combined individually on the basis of 16 mm and 25 mm (= 1 inch) balls are displayed in the separate special Versa Mount catalogue.



Nearly all mounts are available with:

1. Our ORTEC VARIO elastic hook and loop closure system or
2. Our special Go-Q 3-Link Joint System for GoPro(R) cameras

The VARIO closure system for the shafts of CAMs and flashlights has got an elastic and adjustable hook and loop closure to fit various shaft diameters.

Also a reliable pretension is provided. Fits shaft diameters up to appx. 28mm.

The Double Version is ideal for a minimum shaft-length of appx. 70 mm.

The Single Version (short model) is ideal for a minimum shaft-length of appx. 30mm



Please see trademark details on last catalogue page

# Go-Q

# Elastic FLOAT Leash - WRIST

**Extremely flexible loop for a perfect fit at wrist**  
**No stiff blocks inside of loop**

## Unique features:

Loop fixation through housing hinge holese

O-ring fixation at original GoPro(R) screws

1/4" knurled screw fixation

Key ring fixation for universal use



**Buoyancy force up to 200 grams**

## Flexible and elastic



# Floating wrist loop

# Uplift >200g



### Float - Leash, 200g uplift

**Comes without camera, housing, GoPro(R) thumb screw etc.**

666171	ab 1	8,90
666171	ab 10	8,63
666171	ab 25	8,37



# LIMB-LEASH with Flex Cord - Multi Use

Guards your valuable gear against loss

Safely tether your actioncamera with a detachable mount

For Wrist and Forearm or for Upper Arm

Adjustable hook and loop closure guarantees a perfect fit

ORTEC LIMB LEASH strap has got an elastic middle section to adjust muscle tensions

Strap is provided with a super soft surface that is very pleasant to the skin

With elastic straight cord or elastic spiral HD Flex Cord (translucent or black)

With 1/4" camera screw or with Go-Q socket for GoPro(R) cameras

Cord may be detached and substituted if desired  
Usable for individual cords too (for diving torches,  
diving knives, pouches ...)

## Detachable cord

With straight cord or with spiral cord



All metal parts  
made of stainless steel  
or aluminium



**LIMB-Leash WRIST + straight cord**  
Comes with an adjustable hook and loop closure system.

**With detachable and replaceable spiral cord**

Available with spiral cord with 1/4" knurled screw or with Go-Q adapter for GoPro(R) cameras.

666501	1/4"	12,20
66650q	Go-Q	13,80

**LIMB-Leash WRIST + spiral cord**  
Comes with an adjustable hook and loop closure system.

**With detachable and replaceable spiral cord**

Available with spiral cord with 1/4" knurled screw or with Go-Q adapter for GoPro(R) cameras.

666491	1/4"	13,40
66649q	Go-Q	14,80

GoPro (R) is a registered trademark of Woodman Labs, Inc., Half Moon Bay, CA, USA  
See further trademark notes at end of catalogue

# LIMB-LEASH with Spiral Cord - Multi Use Continuation

Guards your valuable gear against loss

Safely tether your actioncamera with a detachable mount

**Cord may be detached and substituted if desired**

**Usable for individual cords too (for diving torches, diving knives, pouches ...)**

**Spiral cord may be detached if desired**


**Adjustable hook and loop closure guarantees a perfect fit**

**ORTEC LIMB LEASH strap has got an elastic middle section to adjust muscle tensions**

**Strap is provided with a super soft surface that is very pleasant to the skin**

**Strechable and elastic HD spiral cord (translucent or black) allows lengthening if desired**

**With 1/4" camera screw or with Go-Q socket for GoPro(R) cameras**



**All metal parts  
made of stainless steel  
or aluminium**

## **LIMB-Leash A.R.M**

Comes with an adjustable hook and loop closure system.

**With detachable and replacable spiral cord**

Available with spiral cord with 1/4" knurled screw or with Go-Q adapter for GoPro(R) cameras.

666511	1/4"	13,40
66651q	Go-Q	14,80



GoPro (R) is a registered trademark of Woodman Labs, Inc., Half Moon Bay, CA, USA  
See further trademark notes at end of catalogue

**Tel.: 0871-72727 / Fax: 0871-71297**

**10**

**www.Ortec-Products.de**

**ORTEC  
Products**



# Handle EASY-SHOT 1/4"

Perfect for scuba diving

For camera + video light

Extra large handle made of HD plastic for rough use

With metal thread - no plastic thread

Special shape of grip for very ergonomic handling

Grooved surface for slipfree use

Ultralight - appx. 75 g only, 12cm long

Stainless key ring with hook included

With 1/4" male and 1/4" female thread



**Colours:  
Orange or Black**

**Price Cut**



## DIVE Handle - EASY-SHOT

With 1/4" male and additional 1/4" female thread

Ultralight appx. 75g only  
Length appx. 12cm

66600r    **red**  
66600s    **black**

**13,40**  
**13,40**

# Handle EASY-SHOT GO-Q

Perfect for scuba diving

For camera + video light

**Extra large handle made of HD plastic for rough use**

**With metal thread - no plastic thread**

**Special shape of grip for very ergonomic handling**

**Grooved surface for slipfree use**

**Ultralight - appx. 75 g only, appx. 12 cm long**

## Go-Q Base



### Price Cut

#### DIVE Handle - EASY-SHOT

Ultralight appx. 75g only  
Length appx. 12cm

66601r	red	13,40
66601s	black	13,40

**Colours:  
Orange or Black**



# EASY - SHOT RIG Aluminium - MONO

Very economic aluminium version

Handles with curvature for very ergonomic handling  
Closed hand may conform perfectly to the shape of handle

Handle sleeves with specially textured surface  
1 Go-Q adapter socket 1/4" for GoPro(R) cameras included  
1 thumb screw 1/4" included  
1 rubber washer included

**NEW**

## ALUMINIUM



example of use



Set includes:  
1 tray with 1 handle, 1 knurled screw 1/4"  
for camera fixation, 1 Go-Q adapter socket  
for GoPro(R) cameras, 1 adjustable lanyard  
with stainless steel spring hook.

Technical details (appx. dimensions):  
Horizontal space for camera etc. 13cm  
Width of flat aluminium bar 30mm

Colours:



### Easy Shot RIG Alum. - MONO

With extra large handle grooves for slipfree use.  
Handle with curvature for a perfect hold. Torches  
and housing and arms not included.

66588s	black handle	23,80
66588y	yellow handle	23,80
66588r	red handle	23,80



# EASY - SHOT RIG Aluminium - DUAL

Very economic HD aluminium version

Handles with curvature for very ergonomic handling  
Closed hands may conform perfectly to the shape of handles

Handle sleeves with specially textured surface  
1 Go-Q adapter socket 1/4" for GoPro(R) cameras included  
1 thumb screw 1/4" included  
1 rubber washer included  
1 adjustable lanyard with stainless steel spring hook

# ALUMINIUM

# NEW



Technical details (appx. dimensions):  
Inner distance between handles 20cm  
Width of flat aluminium bar 30mm

Set includes:  
1 tray with 2 handles, 1 knurled screw 1/4" for camera fixation, 1 Go-Q adapter socket for GoPro(R) and ActionPro(R) cameras, 1 elastic washer, 1 adjustable lanyard with stainless steel spring hook.



Colours:



## Easy Shot RIG Alum. - DUAL

With extra large handle grooves for slipfree use.  
Handles with curvature for a perfect hold. Torches and housing and arms not included.

66589s	black handles	31,80
66589y	yellow handles	31,80
66589r	red handles	31,80



# EASY-SHOT TRAY ALUMINIUM - V-Shape

Version with slidable handles

Very tough and light base plate made of very hard T6 aluminium alloy.

Hard anodized finish

With incredibly many options for mounting cameras and lights

With extra large oblong holes for a maximum sliding range of handles

Handles with metal threads and specially textured surface

Handles are detachable and slidable for perfect handling comfort

Extra large arms - Length of each arm appx. 210 mm

Go-Q adapter socket 1/4" for GoPro(R) cameras included

## Aluminium



Slidable handles




### Set includes:

1 tray with 2 adjustable handles, 2 threaded bolts 1/4", 2 washers, 1 knurled screw 1/4" for camera fixation, 1 adjustable lanyard with stainless steel spring hook, 1 pouch, 1 Go-Q adapter socket for GoPro(R) cameras  
Torches and housing and arms not included



### Colours:



### DIVE TRAY EASY SHOT Alum. V-Shape

With slidable handles with extra large grooves for slipfree use. Various handle colours

66614s	black handles	59,50
66614y	yellow handles	59,50
66614r	red handles	59,50

# EASY-SHOT CARBON TRAY - MONO

Ultralight CARBON tray version

Deluxe version  
Perfect for scuba diving  
For camera + video light

Very tough and light base plate with genuine CARBON surface.  
Handle with metal threads and specially textured surface  
Handle is detachable for easy storage and transportation  
Comes with an extra pouch for handy transportation  
1 Go-Q adapter socket 1/4" for GoPro(R) cameras included

**NEW**

**CARBON**



example of use

Colours:



## DIVE TRAY EASY SHOT MONO

Very tough and light base plate with CARBON surface.  
With extra large handle grooves for slipfree use.  
Torches and housing not included.

66610s	black handle	34,00
66610y	yellow handle	34,00
66610r	red handle	34,00

## Set includes:

1 tray with 1 handle, 1 threaded bolt 1/4",  
1 washer, 1 knurled screw to attach handle to tray, 1 knurled screw 1/4" for camera fixation, 1 adjustable lanyard with stainless steel spring hook, 1 pouch, 1 Go-Q adapter socket for GoPro(R) cameras

Torches and housing not included.



# EASY-SHOT CARBON TRAY - DUAL

## Ultralight CARBON tray version

Very tough and light base plate with genuine CARBON surface.  
 With incredibly many options for mounting cameras and lights  
 Handles with metal threads and specially textured surface  
 Handles are detachable for easy storage and transportation  
Comes with an extra pouch for handy transportation  
1 Go-Q adapter socket 1/4" for GoPro(R) cameras included



Colours:



Technical details (appx. dimensions):  
 Length of handles 13,5cm  
 Centre distance between handles 31,5cm  
 Inner distance between handles 29cm  
 Width of base plate (middle section) 5cm  
 Thickness of base plate 4mm



example of use



Set includes:  
 1 tray with 2 handles, 2 threaded bolts 1/4",  
 2 washers, 2 knurled screws to attach handles to tray, 1 knurled screw 1/4" for camera fixation, 1 Go-Q adapter socket for GoPro(R) cameras, 1 adjustable lanyard with stainless steel spring hook, 1 pouch  
 Torches and housing and arms not in-

### DIVE TRAY EASY SHOT DUAL

Very tough and light base plate with CARBON surface.  
 With extra large handle grooves for slipfree use


66611s	black handles	69,00
66611y	yellow handles	69,00
66611r	red handles	69,00



# EASY-SHOT CARBON TRAY - V-Shape

Ultralight and adjustable CARBON tray version

Very tough and light base plate with genuine CARBON surface.  
With incredibly many options for mounting cameras and lights  
Handles with metal threads and specially textured surface  
Handles are detachable and adjustable for perfect handling comfort  
Comes with an extra pouch for handy transportation  
Extra large arms - Length of each arm appx. 240 mm  
1 Go-Q adapter socket 1/4" for GoPro(R) cameras included



Slidable  
handles

Colours:



**Set includes:**  
1 tray with 2 adjustable handles, 2 threaded bolts 1/4", 2 washers, 1 knurled screw 1/4" for camera fixation, 1 adjustable lanyard with stainless steel spring hook, 1 pouch, 1 Go-Q adapter socket for GoPro(R) cameras  
Torches and housing and arms not included

## DIVE TRAY EASY SHOT V-Shape

With adjustable handles with extra large grooves for slipfree use

66612s	black handles	77,00
66612y	yellow handles	77,00
66612r	red handles	77,00



## CARBON TRAY - Accessories

### WRIST - LEASH with Spiral Cord

Cord may be detached and substituted if desired

Usable for individual cords too (for diving torches, diving knives, pouches ...)

For use in combination with Carbon Tray replace enlosed 1/4" thumb screw by spring hook (included in FRAME Kit)



#### **LIMB-Leash WRIST + spiral cord**

Comes with an adjustable hook and loop closure system.

**With detachable and replacable spiral cord**

With spiral cord with 1/4" thumb screw.

666491 1/4"

**13,40**

# HANDLE DUAL EASY SHOT


For Fixation of cameras, video lights, flashes  
at top and at bottom

Handle with two metal threads (2 x 1/4" female)

Handle with specially textured surface - made of very tough rubber like material.  
(no sensitive foam material)

Kit contains: 1 handle with 2 threaded bolts 1/4" made of stainless steel and 2 knurled nuts and 1 rubber washer

**NEW**



Colours:   

## DIVE Handle EASY SHOT DUAL

With 2 threaded bolts 1/4" and 2 knurled nuts and 1 rubber washers

66609s	black handle	16,40
66609y	yellow handle	16,40
66609r	red handle	16,40



## Handle Mount 1/4" and Go-Q

Perfect for ORTEC CARBON TRAYS

Especially for ORTEC CARBON trays  
Enhances versatility - leaves no wish open  
Allows fixation of additional devices like video lights, diving torches, flashes ...

**DIVE Handle Mount  
with 1/4" screw  
stainless steel**

**NEW**



example of use



### DIVE Handle Mount DKG-1/4"

With double ball joint and 1/4" threaded bolt (stainless steel). Handle itself not included.  
665921

**10,80**

### DIVE Handle Mount + GO-Q Joint

With ball joint system (stainless steel) for GoPro cameras. Handle itself not included.  
66592q

**10,80**

# CARBON TRAY - Special Accessories

## Sliding Screw Set for CARBON V-shape trays

This sliding screw kit allows fixation of nearly all kinds of accessories with a 1/4" female threaded hole.



**Sliding Screw Set for CARBON V-Tray**  
Especially made for ORTEC CARBON trays (fixa-  
tion of additional devices like cameras ....)  
2 sliding screws (1/4", stainless steel bolt) and 2  
washers.  
666131 set of 2 **7,20**

## Camera Fixation Kit



example of use



**DIVE Camera Fixation Set 1/4", SS bolt**  
Especially made for ORTEC CARBON trays (fixa-  
tion of additional devices like cameras ....)  
Knurled screws with 1/4 inch camera thread made  
of stainless steel and elastic washers.  
Tray itself and cameras not included.  
Set includes 2 screws and 2 washers  
L = Length of thread  
VM0006a L=9,5mm (appx), 1 set **4,40**

## ORTEC Linked Arms



See chapter "Linked Arms"

## Torch Mounts



See Torch Mount Chapters

## Aqualite (R) Adapter



See Chapter Aqualite Adapter

# EASY-SHOT FRAME Aluminium

Allows a wide attachment range

For cameras, mics, video lights ...

**Extremely versatile**

**With incredibly many options for mounting cameras and lights**

**Handles with metal threads and specially textured surface**

**With plenty of 1/4 inch and 3/8 inch threaded holes and 2 drill holes (for camera fixation)**

**Comes with an extra pouch for handy transportation**

**Frame comes disassembled for easy storage and transportation, allen key tool is included**

**1 Go-Q adapter socket 1/4" for GoPro(R) cameras included**

**NEW**



Colours:   

**Set includes:**  
 1 top bar, 1 bottom bar, 2 handles, 2 threaded bolts 1/4", 2 washers, 1 knurled screw 1/4" for camera fixation, 1 Go-Q adapter socket for GoPro(R) cameras, 1 adjustable lanyard with stainless steel spring hook, 1 Allen key, 1 pouch  
 Without lights, without light fixations and without housing

## DIVE FRAME EASY SHOT

Very tough aluminium frame with anodized surface.  
 With extra large handle grooves for slipfree use.  
 Frame dimensions: appx. 240 x 150 mm  
 Frame comes in a disassembled state

66580s	black handles	59,50
66580y	yellow handles	59,50
66580r	red handles	59,50





## EASY SHOT FRAME - Handle

**Elbow Handle 1/4" - for one hand use**

With a 1/4" Thumb Screw  
Ideal for the top bar

**NEW**



### DIVE FRAME - Elbow Handle

Comes with a long thumb screw 1/4".  
Fits ORTEC DIVE FRAMES Aluminium and other  
trays and frames with 1/4" threaded holes.  
FRAME and housing not included  
665811

14,40



example of use



example of use

## FRAME Easy Shot - Leash with Flex Cord

Cord may be detached and substituted if desired

Usable for individual cords too (for diving torches, diving knives, pouches ...)

For use in combination with Carbon Tray replace enclosed 1/4" thumb screw by spring hook (included in FRAME Kit)



example of use



### LIMB-Leash W R I S T + spiral cord

Comes with an adjustable hook and loop closure system.

**With detachable and replacable spiral cord**

Replac thumb screw by snap hook (comes with Frame)

666491 1/4"

13,40


# FRAME Linked Arm + VariCord Torch Mount

Perfect for ORTEC FRAMES Aluminium

2 adjustable twin cords (rubber) guarantee a very tight fixation  
Has an amazingly large adjustment range:  
Fits shank diameters from appx. 25mm to 55mm  
Length of metal half shell 50mm  
With 1/4" stud at the bottom

**LINKED ARM with  
Universal VariCord Torch  
Mount + 1/4"**

**NEW**



With ORTEC Core Leash system OCL to  
reduce danger of loss if arm might be  
overbent and come apart



**Gigantic  
clamping range  
dia appx. 25-55mm**



example of use

**DIVE Flex Arm+Torch Mount VariCord**  
With 1/4" stud at the bottom  
Without torch  
665731

**21,40**

# FRAME Alum. Easy Shot - Accessories

**NEW**

## 1/4" Fixation - tiltable Stainless steel



**Go-Q**

**DIVE Fixation with 1/4" bolt**  
2 x 1/4" with double ball jointt  
With 2 counternuts.

665921

**10,80**

**Go-Q model with 1 x 1/4" boltt**  
1/4" bolt with counternuts.

66592q

**10,80**

## Thumb Screws for Alum. FRAMES



### Camera Fixation Set - 1/4 inch, SS bolt

Especially made for ORTEC DIVE FRAMES out of aluminium (fixation of additional devices like cameras, torches, flashes, linked arms, flex arms ....)  
2 thumb screws (1/4", stainless steel bolt) and 2 washers.

L = Length of thread (appx.)

VM0006c L=16 mm, set of 2

**4,40**

## 1/4" Fixation - straight



### DIVE Fixation 2 x 1/4" - straight

Stainless steel threaded bolt with 2 counternuts.

665911

**4,60**



## FRAME Alum. - Accessories

### Camera Fixation Kit



See chapter "Screws + Nuts"

### ORTEC Linked Arms



See chapter "Linked Arms"

### Torch Mounts VariCord



See Torch Mount Chapter

### Torch Clamps



See Torch CLAMP Chapter

### Aqualite (R) Adapter



See Chapter Aqualite Adapter

# LINKED Arms HD with metal threads

Perform many arms with especially tight and sturdy threads

MT = Male Thread  
FT = Female Thread

2 x male thread  
= 2 x MT



**DIVE Linked Arm - 2 x MT**  
With ORTEC Core Leash OCL  
665701 2 x 1/4" MT

13,50


2 x female thread  
= 2 x FT



**DIVE Linked Arm - 2 x FT**  
With ORTEC Core Leash OCL  
665711 2 x 1/4" FT

15,90

With ORTEC Core Leash system OCL to reduce danger of loss if arm might be overbent and come apart



Appx. 6"=15cm long

1 x MT + 1x FT



**DIVE Linked Arm - MT + FT**  
With ORTEC Core Leash OCL  
665721 1/4" MT + 1/4" FT

14,70

**Linked Arm + 1/4" stud with Alum. Plate**

For mounting nearly all kinds of accessories with a flat section of the housing ...  
For instance recorders, receivers ...  
**Double use:** Hook and loop use or screw on use



**DIVE Linked Arm + Alum. Plate**

Comes with a 1/4" stud at the bottom, 6x6cm plate or 8x8cm plate  
Hook and loop patches included  
With ORTEC Core Leash OCL

665741 6 x 6 cm  
665751 8 x 8 cm

18,40  
18,90

# HD Torch Clamps 1/4" - tiltable

For a solid fixation of diving torches  
Tiltable

Clamp made of very tough and durable yet flexible plastic

Available for various shank diameters - from 23 mm up to 50,4 mm.

All metal parts made of stainless steel.

**from 23mm up to 50,4mm**



example of use

With a 1/4" knurled screw to mount at all 1/4" threaded holes



Set includes:  
1 clamp with threaded bolt and thumb nut, 1 stainless steel bracket, 1 knurled screw 1/4", 1 rubber washer  
Torches, arms and frame not included



example of use



example of use

## DIVE Torch CLAMP

Comes with a 1/4" threaded screw for fixation at handle.

Fits the listed shank diameters D (of diver's torch)

66590a	D=23 - 25,4 mm	10,00
66590b	D=25 - 28 mm	10,60
66590c	D=28 - 30 mm	11,20
66590d	D=33 - 35 mm	11,80
66590e	D=35 - 40 mm - on request	
66590f	D=40 - 45,5 mm - on request	
66590g	D=45 - 50,4 mm - on request	



# TORCH MOUNT VariCord UNIVERSAL DKG

For a solid fixation of various torches  
With DKG double ball joint for ultimate adjustability

Comes with a stainless steel fixation plate for the video lamp  
2 adjustable twin cords (rubber) guarantee a very tight fixation

Fits shank diameters from appx. 25mm to 55mm

Two twin cords (elastic) with adjustable tensioners guarantee a really tight fit and an amazingly large adjustment range.

Length of metal half shell 50mm

## DIVE TORCH Mount VariCord DKG + 1/4" SHORT thread

1/4" threaded bolt with counternut (for fixation at female threads)

# For female threads



example of use

**Gigantic**

**clamping range**

**25-55mm**



example of use

### DIVE Torch Mt. VariCord DKG1/4" MT

With double ball joint (stainless steel pressure plates)

D = diameter range (appx).

665931 D = 25 ... 55 mm

**14,90**



example of use

# TORCH MOUNT VariCord UNIVERSAL DKG

continuation

**DIVE TORCH Mount VariCord DKG with  
LONG M6 bolt + thumb nut**

**Long threaded bolt with thumb nut (for fixation at through holes  
larger than 6.5mm)**

## For through holes



### **DIVETorch Mt.VariCord DKG+long M6**

With double ball joint (stainless steel pressure plates)

Fits trays with a thickness up to 10mm

D = diameter range (appx) for flashlight.

66593b D = 25 ... 55 mm

**16,90**



## TORCH MOUNT VariCord STRAIGHT 1/4"

For a solid fixation of various torches  
With 1/4" threaded bolt and knurled nut

Comes with a stainless steel fixation plate for the video lamp

2 adjustable twin cords (rubber) guarantee a very tight fixation

Fits shank diameters from appx. 25mm to 55mm

1/4" threaded bolt at bottom with counternut (for fixation of threaded bolt in proper position)

Two twin cords (elastic) with adjustable tensioners guarantee a really tight fit and an amazingly large adjustment range.

Length of metal half shell 50mm

### DIVE TORCH Mount VariCord with 1/4" straight bolt

**Gigantic**  
**clamping range**  
**25-55mm**



#### DIVE Torch Mount VariCord Straight

1/4" version

Length of metal half shell: 50mm

D = diameter range (appx).

665941 D = 25 ... 55 mm

11,40





## TORCH MOUNT VariCord + YS Adapter

For a solid fixation of nearly all torches with round or oval shafts  
Shaft range 25mm up to 55mm

Comes with a stainless steel fixation plate for the video lamp  
2 adjustable twin cords (rubber) guarantee a very tight fixation

Fits shank diameters from appx. 25mm to 55mm

Two twin cords (elastic) with adjustable tensioners guarantee a really tight fit and an amazingly large adjustment range.

Length of metal half shell 50mm

### DIVE TORCH Mount VariCord + YS Adapter



#### DIVE Torch Mount VariCord + YS

Length of metal half shell: 50mm

D = diameter range (appx).

66594y D = 25 ... 55 mm

14,90

Aqualite (R) is a trademark respectively a registered trademark of Undewaer Kinetics, Poway, CA, USA  
All trademarks or registered trademarks named in this catalogue are property of their respective parties.  
Trademarks in this catalogue are being used for reference purposes only.

# ADAPTER for DIVE Torch UK AQUALITE (R)

Adapter fits fixation base at UK Aqualite(R) housings

Base made of anodized aluminium with stainless steel screw and nut

With 1/4" threaded bolt and double ball joint DKG

Fits

UK AQUALITE (R)



## DIVE Adapter DKG for Aqualite(R)

Socket comes with two 1/4" screws for the torch fixation and with a 1/4" threaded bolt and a counternut for fixation at rig, tray, handle ...

66560j

14,40

With straight 1/4" threaded bolt



## DIVE Torch Adapter Aqualite(R)-1/4"

Straight version without ball joint  
1/4" version

665601

8,40




Aqualite (R) is a trademark respectively a registered trademark of Undewaer Kinetics, Poway, CA, USA  
All trademarks or registered trademarks named in this catalogue are property of their respective parties.  
Trademarks in this catalogue are being used for reference purposes only.

# Screws and Nuts (knurled)

Made especially for 1/4 inch camera threads

**DIVE Thumb Screw: 1/4"**  
with stainless steel bolt  
with drainage holes



**NEW**  
**Set of 2**

## DIVE Thumb Screw, 1/4 inch - SS bolt

With 1/4-20 inch stainless steel threaded bolt.  
With drainage holes in lid.

Length of thread L (appx.)

Outer diameter appx. 30-32mm

VM0005a L=7 mm, set of 2 **4,40**

VM0005b L=10 mm, set of 2 **4,50**

VM0005c L=13 mm, set of 2 **4,60**

VM0005d L=16 mm, set of 2 **4,70**

**DIVE Camera Fixation Set SLIM**  
for additional devices



**NEW**

## Camera Fixation Set - 1/4" slim, SS bolt

Slim version especially for ORTEC CARBON trays and ORTEC FRAME Aluminium (fixation of additional devices like cameras ....)

Knurled screws (with 1/4-20 inch threaded bolt made of stainless steel) and washers.

Set includes 2 screws and 2 washers

L = Length of thread (appx.)

VM00061 L=9 mm, set of 2 **4,40**

VM0006b L=12 mm, set of 2 **4,40**

VM0006c L=16 mm, set of 2 **4,40**

**DIVE Knurled Nut SLIM:**  
1/4"  
with stainless steel thread



**stain-  
less steel  
insert**

**NEW**  
**Set of 2**

## Knurled nut SLIM 1/4"-with SS insert

With a 1/4 - 20 inch female thread insert made of stainless steel.

D = appx 30-32mm (outer diameter).

Set of 2 pieces

VM00021 set of 2

**3,60**

**Knurled nut: 1/4"**



**Discontinued**

## Knurled nut - 1/4 inch thread

With a 1/4 - 20 inch female thread.

D = appx 30mm (outer diameter).

Set of 2 pieces

VM0001d D 30mm, set of 2

VM0001d

**DIVE Thumb Nut: 1/4"**  
with stainless steel thread



**NEW**

## Thumb nut 1/4" - with SS thread

Large space inside for unused section of threaded bolt.

With a 1/4 - 20 inch female thread insert made of stainless steel.

Lid with drainage holes

D = appx 30-32mm (outer diameter).

Set of 2 pieces

VM00031 set of 2

**3,90**



## International terms

Excerpt and supplementation of our general terms and conditions for business, delivery and payment

### Prices:

Our prices are in EUROS and are always subject to change without notice. Our offers are always exempt from a delivery guarantee. Errors and modifications excepted! Please ask for special pre-order and quantity discounts. Net prices are asterisked (\*), as they are excluded from discounts.

**Delivery:** Shipping ex works plus costs for packaging

**Export within the EU:** A minimum order of € 100.-- applies, if less than that we will add € 10.-- as an extra service charge.  
**Export beyond EU:** A minimum order of € 500,— applies, if less than that we will add € 15.-- as an extra service charge.

### Payments:

Payments must be free of charge. All export deliveries require wire transfer prepayment or an irrevocable Letter of Credit. Open account terms require the approval of Ortec R.C.F. GmbH, Germany and are subject to separate terms.

**Quantities:** All products must be ordered in packing units or multiples of them.

### General information and liabilities:

Upon coming into effect of this price list, all previous price lists lose validity. Errors and modifications excepted. We reserve the right to reject deliveries.

No claims can be made concerning errors of any type in this catalogue.

Ortec is not liable in case that any of the products offered in this catalogue might possibly be in breach of third party patents, design patents, utility patents, trademarks, registered trademarks and so on. No claims can be made if such an event might occur.

We deliver exclusively according to our general terms and conditions of business (full details see inside back cover of our print catalogue). You can also see our complete terms of business on [www.Ortec-Products.de](http://www.Ortec-Products.de).

**Net prices are asterisked (\*), as they are excluded from discounts.**

**Prices are effective May 10th, 2014**



**ORTEC R.F.C. GmbH  
D-84030 Landshut, Germany**

**Tel.: 0049 - 871-72727**

**Fax: 0049 - 871-71297**

**E-Mail: [Ortec-Products@t-online.de](mailto:Ortec-Products@t-online.de)**

**[www.Ortec-Products.de](http://www.Ortec-Products.de)**

V.I.O. POV 1.5 is a trademark respectively a registered trademark of V.I.O. Inc., Marquette, MI, USA  
GoPro (R) is a registered trademark of Woodman Labs, Inc., Half Moon Bay, CA, USA  
ActionPro (R) is a registered trademark of CI IMAGEWEAR activSport GmbH, Röthenbach, BRD  
DRIFT is a trademark respectively a registered trademark of DRIFT INNOVATION Ltd, USA  
Aqualite (R) is a trademark respectively a registered trademark of Underwater Kinetics, USA  
All trademarks or registered trademarks named in this catalogue are property of their respective parties.

All sizes and descriptions in the catalog are only approximate information and nonbinding. Errors and modifications excepted. Along with the publication of this catalog, all previous catalogues and price lists lose their validity. Reprint - even in extracts - requires our express permission. All rights reserved. Copyright by ORTEC Reisefahrzeug-, Camping- und Freizeitprodukte GmbH, Landshut, Germany

Full company name: Ortec Reisefahrzeug-, Camping- und Freizeitprodukte GmbH



**Ortec R.C.F. GmbH**  
**D-84030 Landshut, Germany**  
**Tel. (0049) 0871-72727 Fax.: (0049) 0871-71297**  
**ortec-products@t-online.de**  
**www.ortec-products.de**

**ORTEC** Products